	Application No.	Applicant(s)	<u>.</u>	
Notice of Allowability	•	Applicani(s)		
	09/425,743 Examiner	VAES, ED		
	Examiner	Art Unit		
	Gary K Graham	1744		
The MAILING DATE of this communication appe All claims being allowable, PROSECUTION ON THE MERITS IS ( herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT Re of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in or other appropriate commer GHTS. This application is:	n this application. If not incliunication will be mailed in di	uded ue course. <b>THIS</b>	
<ol> <li>This communication is responsive to <u>amendment filed 07 C</u></li> <li>The allowed claim(s) is/are <u>40.41,44-46 and 58-62</u>.</li> <li>The drawings filed on are accepted by the Examiner</li> <li>Acknowledgment is made of a claim for foreign priority under a) All b) Some* c) None of the:</li> <li>Certified copies of the priority documents have</li> </ol>	der 35 U.S.C. § 119(a)-(d)	or (f).		
2. Certified copies of the priority documents have		on No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the				
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received;				
<ul> <li>5. Acknowledgment is made of a claim for domestic priority un reference was included in the first sentence of the specifical (a) The translation of the foreign language provisional application. Acknowledgment is made of a claim for domestic priority un in the first sentence of the specification or in an Application. Applicant has THREE MONTHS FROM THE "MAILING DATE" of below. Failure to timely comply will result in ABANDONMENT of the submitted of the specification of the specification of the specification.</li> <li>7. A SUBSTITUTE OATH OR DECLARATION must be submitted in ABANDONMENT of the submitted of the specification (PTO-152) which gives the submitted of the specification of the s</li></ul>	cion or in an Application Date oplication has been received der 35 U.S.C. §§ 120 and/odition and the state of the submitted.	ata Sheet. 37 CFR 1.78.  d.  or 121 since a specific reference  a reply complying with the re  REE-MONTH PERIOD IS NO  AMINER'S AMENDMENT or  r declaration is deficient.	ence was included equirements noted DT EXTENDABLE	
(a) ☐ including changes required by the Notice of Draftsperso	on's Patent Drawing Review	v ( PTO-948) attached		
1) ☐ hereto or 2) ☐ to Paper No				
(b) ☐ including changes required by the proposed drawing correction filed, which has been approved by the Examiner.				
(c) ⊠ including changes required by the attached Examiner's	Amendment / Comment or	in the Office action of Pape	er No	
Identifying indicia such as the application number (see 37 CFR 1.8 each sheet. Replacement sheet(s) should be labeled as such in th	4(c)) should be written on the margin according to 37 CF	ne drawings in the front (not t R 1.121(d).	the back) of	
<ol> <li>DEPOSIT OF and/or INFORMATION about the depos attached Examiner's comment regarding REQUIREMENT FOR TH</li> </ol>	it of BIOLOGICAL MATE IE DEPOSIT OF BIOLOGI	ERIAL must be submitted CAL MATERIAL.	l. Note the	
Attachment(s)				
<ul> <li>1 Notice of References Cited (PTO-892)</li> <li>2 Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3 Information Disclosure Statements (PTO-1449 or PTO/SB/08). Paper No</li> <li>4 Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	6⊡ Interview Sur 7⊠ Examiner's A	ormal Patent Application (PT mmary (PTO-413), Paper No Amendment/Comment Statement of Reasons for All Gary K Graham Primary Examine Art Unit: 1744	o	

Application/Control Number: 09/425,743

Art Unit: 1744

## **EXAMINER'S AMENDMENT**

The specification is amended such that the same reference numeral "29" is not used for different structure. Reference numeral "29" is used to identify both the upper casing and the shoulder end (see page 8). Reference numeral "29" directed to the upper casing has been changed in the specification to ---31---. Applicant needs to correct the drawings (figure 6) accordingly. See the below amendments.

Also, the claims are amended such that consistent terminology is used in the independent claims. In particular, "transverse section" has been changed to ---transverse means---. See the below amendments.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

## In the Specification

In the specification, on page 8, line 8, change "29" to ---31---.

Application/Control Number: 09/425,743

Art Unit: 1744

## In the Claims

In claim 40, line 11, change "section" to ---means---.

In claim 41, line 12, change the first occurrence of "section" to ---means---.

In claim 58, line 13, change "section" to ---means---.

In claim 59, line 12, change the first occurrence of "section" to ---means---.

## In the Drawings

The following changes to the drawings have been approved by the examiner: In figure 6, change the lower reference numeral "29" to ---31---. Such change is needed since there are two reference numerals "29" in figure 6 which are directed to different structure. The lower numeral "29" is directed to the upper casing, which has been given the numeral ---31--- in the specification (see above). In order to avoid abandonment of the application, applicant must make these above agreed upon drawing changes.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary K Graham whose telephone number is 703-308-1270.

Please note that the Examiner's telephone number will be changing on 17 December 2003 to 571-272-1274. The examiner can normally be reached on Tuesday to Friday (6:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Warden can be reached on 703-308-2920. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Gary K Graham Primary Examiner Art Unit 1744

GKG

11 December 2003